

## Table of Contents

ABSTRACT.....	VIII
IX.....	الخلاصة:
Dedications .....	X
Acknowledgments.....	XI
List of Abbreviations .....	XII
List of Figures .....	XIV
List of Maps.....	XIV
List of Tables .....	XV
Chapter One.....	1
Introduction .....	1
1.1 Overview .....	1
1.2 Major Goal and Specific Objectives .....	3
1.2.1 Main Goal.....	3
1.2.2 Specific Objectives .....	3
1.3 Expected Results .....	3
1.4 Research Approaches.....	4
1.5 Thesis Body .....	4
Chapter Two.....	5
Stone Cutting Industry in Hebron .....	5
2.1 Industry Profile.....	5
2.2 Environmental Impact of Stone Cutting.....	6
2.3 Stone quarrying.....	10
2.4 Hebron Stream.....	11
2.5 Existing Facilities onsite .....	12
2.5.1 CH2MHILL Investment .....	12
2.5.2 Hagar Project.....	13
2.5.3 USAID Emergency Project .....	14
Chapter Three .....	17
Literature review.....	17
3.1 Coagulation and Flocculation.....	17
3.2 Applications of Coagulation .....	18

3.3	Properties of Colloidal Systems .....	19
3.4	Influencing Factors.....	21
3.5	Coagulants.....	24
3.6	Coagulation Control .....	24
3.7	Lab jar test.....	26
	Chapter Four .....	28
	Material and Methodology .....	28
4.1	Introduction .....	28
4.2	Data collection .....	28
4.3	Lab Work .....	29
4.4	Software Analysis .....	34
4.5	GIS map .....	34
	Chapter Five .....	35
	Results and Discussion .....	35
5.1	Introduction .....	35
5.2	Polymer Coagulant Effect.....	35
5.3	Ferric Chloride Coagulant Effect .....	39
5.4	Pollution study tours in the industrial zone.....	42
	Chapter Six.....	52
	Conclusions and Recommendations .....	52
6.1	Conclusions .....	52
6.2	Recommendations .....	52
	References .....	54
	Appendices.....	I
	Appendix 1: Survey Questionnaires.....	I
	Appendix 2: 140 Coordinates for Stone cutting firms in Hebron .....	IV
	Appendix 3:Effect of Electro-Polymer on Both TSS and Turbidity (Dose Dependent).....	VIII
	Appendix 4: Effect of Electro-Polymer on Both TSS and Turbidity (Waiting Time Dependent) at 0.3 mg/LIX	
	Appendix 5: Effect of Electro-Polymer on Both TSS and Turbidity (Waiting Time Dependent) at 0.5 mg/L X	
	Appendix 6: Effect of Electro-Polymer on Both TSS and Turbidity (Waiting Time Dependent) at 0.7 mg/LXI	
	Appendix 7: Effect of Ferrus-Chloride on Both TSS and Turbidity (Dose Dependent).....	XII
	Appendix 8: Effect of Ferrus-Chloride on Both TSS and Turbidity (Waiting Time Dependent) at 5 mg/L. XIII	

Appendix 9: Effect of Ferrus-Chloride on Both TSS and Turbidity (Waiting Time Dependent) at 10 mg/LXIV

Appendix 10: Effect of Ferrus-Chloride on Both TSS and Turbidity (Waiting Time Dependent) at 1 mg/LXV