

Contents

Abstract	iii
Dedication	iv
Acknowledgments	v
Contents	vi
List of Figures	ix
1 Introduction	1
2 Discontinuous Constituents in HPSG	3
2.1 Discontinuous Constituency	3
2.1.1 The Descriptivist Approach	3
2.1.2 The Transformational Response	4
2.1.3 Non-Derivational Approaches	4
2.2 Linearization in HPSG	6
2.2.1 Reape’s Domain Objects	6
2.2.2 Partial Compaction	10
2.2.3 Topological Fields	12
2.2.3.1 Topological Field Hierarchies	14
2.2.4 The Construction-based Approach	15
2.3 Constituency and Locality	17
2.4 Conclusion	20
3 Existing Formalisms for Parsing With Discontinuous Constituents	21
3.1 Early Work	21
3.2 Dependency Grammar	22
3.3 DPSG	25
3.4 Topological Parsing	26
3.4.1 Topological Dependency Parsing	26
3.4.2 Penn’s Topological Parser	30
3.5 Suhre’s Linear Specification Language	31
3.6 Conclusion	32
4 The GIDL Formalism	33
4.1 Generalizing ID/LP Grammar	33
4.1.1 Overview	33
4.1.2 Lexical Entries	34
4.1.3 Grammar Rules	34
4.1.4 Start Declaration	34
4.1.5 LP Constraints	34
4.1.6 Domain Declarations	35
4.2 Examples	36
4.2.1 Mimicking a CFG	36
4.2.2 Illustrating Domain Formation	37

4.3	Formal Model	38
4.4	Conclusion	39
5	Parsing GIDL P Grammars With Atomic Categories	41
5.1	Earley’s Algorithm	41
5.1.1	Modifying Earley’s Algorithm	43
5.2	The GIDL P Parsing Algorithm – Atomic Categories	43
5.2.1	Design Considerations	43
5.2.1.1	Edge Coverage	43
5.2.1.2	The Dot	44
5.2.1.3	LP Constraint State Representation	46
5.2.1.4	Domains in Earley’s Algorithm	47
5.2.1.5	Edge Subsumption and Ambiguity Packing	48
5.2.1.6	Backpointer Classes	49
5.2.2	The Algorithm Itself	50
5.2.2.1	Grammar Compilation	50
5.2.2.2	Minimum Yield	51
5.2.2.3	Maximum Yield	52
5.2.2.4	Reachability	53
5.2.2.5	Parser Agenda	54
5.2.2.6	Prediction	55
5.2.2.7	Mask Computation	55
5.2.2.8	Completion	56
5.2.2.9	Order Constraint Updating	56
5.2.2.10	Activating dormant constraints	57
5.2.2.11	Updating token-based constraints	57
5.2.2.12	Updating and merging description-based constraints	57
5.2.2.13	Completion – Final Steps	58
5.3	Sample Parses	58
5.3.1	Relatively-free Word Order	58
5.3.2	Domains and Dormant Constraints	64
5.4	Conclusion	68
6	Parsing GIDL P Grammars With Feature Structure Categories	69
6.1	Unification-Based Parsing	69
6.1.1	Restriction	70
6.1.1.1	Restriction To Ensure Termination	70
6.1.1.2	Restriction as Optimization	72
6.1.1.3	Dangers of Improper Restriction	73
6.1.2	Quick Check Vectors	73
6.2	Non-Local Information Flow	74
6.3	The GIDL P Parsing Algorithm for Feature Structure Categories	75
6.3.1	Grammar Compilation	75
6.3.2	Prediction	77
6.3.3	Completion	77
6.3.3.1	Non-Modular LP Constraints	78
6.3.3.2	Constraint Stores	79
6.4	Conclusion	79

7	Evaluation	80
7.1	Linguistic Expectations	80
7.1.1	Discontinuous Constituency as Grammar Optimization	80
7.1.2	The Value of RHS Ordering	81
7.1.3	Computational Complexity	82
7.2	Implementation Notes	82
7.2.1	Performance on Suhre’s Grammars	83
7.3	Efficiency	83
7.3.1	Performance on Context-free Grammars	83
7.3.2	Larger-scale Grammar Evaluation	85
7.4	Conclusion	88
8	Conclusion	89
8.1	Future Work	89
8.2	Conclusion	90
	Bibliography	91
	Citation Index	99